

K 7 Compact Home

Compact & handy: the K 7 Compact pressure washer with water-cooled motor. For frequent use and heavy dirt, e.g., on paths, in pools, on bicycles or large cars.













- 1 Sophisticated hose storage concept
- The hose can be wound up, fixed in place with an elastic strap and quickly removed again ready for the next job.
- 3 Telescopic handle
- The aluminium telescopic handle can be extended for transport and retracted again for storage.
- 2 Water-cooled motor and outstanding performance
- The water-cooled motor impresses with its particularly long service life and high power.
- 4 Integrated accessory storage on the device
- Convenient and space-saving accessory storage.

TECHNICAL DATA AND EQUIPMENT





K 7 Compact Home

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data		
Order no.		1.447-053.0
EAN code		4054278497143
Pressure	bar / MPa	20 - max. 180 / 2 - max. 18
Flow rate	l/h	max. 600
Inlet temperature	°C	max. 60
Connection load	kW	3
Weight without accessories	kg	16
Dimensions (L × W × H)	mm	378 × 291 × 516
Current type	V / Hz	230 / 50

Equipment					
High-pressure gun		G 180 Q	Water-cooled motor	•	
Vario Power Jet		•	Rubber band for attaching the high-pressure hose	•	
Dirt Blaster		•			
High-pressure hose	m	10 / PremiumFlex Anti-Twist			
Quick Connect on the side of the de	vice	•			
Detergent application via		Suction hose			
Water suction		•			
Integrated water filter					
A3/4" garden hose connector adapt	er	•			
Home Kit		K 7 Smart: T 7 Surface Cleaner, Stone and Façade Cleaner, 3-in-1, 11			
Telescopic handle					
■ Included in the scope of supply.					































								_
		Order no.				Price	Description	
Spray lances							I.	H
VP 180 vario power jet for K 7	1	2.642-726.0					Vario power spray lance for pressure washers in class K 7. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	•
DB 180 dirt blaster for K 7	2	2.642-729.0					Dirt blaster with powerful top rotary nozzle for Kärcher pressure washers in class K 7. For particularly stubborn dirt like that on mossy or weathered surfaces.	•
TLA 4 telescopic spray lance	3	2.644-190.0					Simple cleaning at (almost) every point: The telescopic spray lance easily reaches areas that are difficult to access thanks to its 180° adjustable hinge.	
Façade & glass cleaning kit	4	2.644-249.0					Set comprising the telescopic spray lance TLA 4 and the façade and glass cleaning attachment. For easy cleaning of objects that are difficult to access such as house façades or conservatories.	
Splash guard	5	2.642-706.0					Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	6	2.638-817.0					Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	
1-step lance extension	7	2.643-240.0					Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	8	2.643-254.0					VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
MP 180 multi power jet for K 6-K 7	9	2.643-238.0					Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	
Telescopic spray lance	10	2.642-347.0					Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun Weight: ca. 2 kg	n. 🗆
Trigger guns G 180 Q Quick Connect trigger gun	11	2.642-889.0					The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	•
High-pressure replacement hose: W		1	d Quick Connec	t system				
H 10 Q Flex PremiumFlex anti twist	12	2.643-585.0					Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	•
Surface cleaners				1				
T 7 Plus T-Racer surface cleaner	13	2.644-074.0					Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function – for effective and splash-free cleaning of large areas.	
T 5 T-Racer surface cleaner	14	2.644-084.0					Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and	
						1	delicate surfaces alike.	

[■] Included in the scope of supply.

Available accessories.































		Order no.		Price	Description	
PS 30 power scrubber surface cleaner	15	2.644-123.0			The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	1 [
PS 30 Plus power scrubber surface cleaner	16	2.644-212.0			The power scrubber PS 30 Plus removes stubborn dirt with its 3 high-pressure nozzles. Thanks to the swivelling side nozzle, all corners and edges can be cleaned effortlessly.	
Brushes				_		T
WB 150 power brush	17	2.643-237.0			WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	
WB 120 rotating wash brush	18	2.644-060.0			Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	
WB 120 rotating wash brush car & bike	19	2.644-129.0			Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	
WB 60 soft surface wash brush	20	2.643-233.0			Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	
Wheel washing brush	21	2.643-234.0			Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	t C
Garden hose adapter	22	2.640-732.0			Adapter for garden hose connection – suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	
Wash brush	23	6.903-276.0			Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	
High-pressure replacement hose: sy	stem	from 2009 with Quick Co	nnect system		,	
H 9 Q high-pressure hose Quick Connect	24	2.641-721.0			9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	
High-Pressure replacement hose kit	-					
Extension hose adapter kit	25	2.643-037.0			Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	
High-pressure extension hose: Systo			ect system		1	
XH 10 Q Quick Connect extension hose	26	2.641-710.0			High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	
XH 6 Q extension hose Quick Connect	27	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	ء ا
Pipe cleaning					1	
PC 20 roof gutter and pipe clean- ing kit	28	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	

[■] Included in the scope of supply.

Available accessories.





















						T
		Order no.		Price	Description	
PC 15 pipe cleaning kit	29	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	30	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
Foam jet						
FJ 6 foam jet	31	2.643-147.0			FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	
FJ 10 C Connect 'n' Clean foam jet + Ultra Foam Cleaner	32	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	33	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different deter- gents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	34	2.643-145.0			Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
Miscellaneous						
SH 5 suction hose	35	2.643-100.0			Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	
Sand and wet-blasting kit	36	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	
Vario joint	37	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas For connection between gun and accessory or extension lance and accessory.	i. 🗆
Water filter	38	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	39	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	

[■] Included in the scope of supply.

□ Available accessories.

























		Order no.			Price	Description	
Hose storage and hose trolley				 l.			
Premium Hose Reel HR 7.315 Kit	1	2.645-165.0				Watering station with detachable hose reel, storage option	Т
5/8"	_					for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0				Fully assembled hose trolley with height-adjustable handle,	
						angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	
Premium Hose Reel HR 7.315 Kit	3	2.645-164.0				Fully equipped watering station. With detachable hose reel,	†
1/2"						storage for nozzles and sprinklers, large storage box and	
						fixing option for spray lances.	\perp
Hoses							
Hose set for pressure washers	4	2.645-156.0				Hose set for high-pressure cleaning and garden watering.	
						With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, univer-	
	_					sal hose connector and universal connector with Aqua Stop.	+
Water supply hose set	5	2.645-258.0				Hose set for water supply (pressure washer, garden water-	
						ing). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, universal connection for taps with-	
						out thread.	
PrimoFlex* hose 1/2" - 20 m	6	2.645-138.0				The robust PrimoFlex® (1/2") garden hose is a 20 m long,	\top
						temperature-resistant (from -20 to 65°C) and physiologicall	y _
						safe water hose with pressure-proof coating. Bursting pres-	
						sure: 24 bar.	_
PrimoFlex* hose 3/4" - 25 m	7	2.645-142.0				PrimoFlex® quality garden hose (3/4"). 25 m long. With	
						pressure-resistant woven reinforcement. Contains no sub-	
						stances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	
Hose Performance Plus 1/2" -20m	8	2.645-318.0				bar. High temperature resistance from 20 to 03 C.	
Hose Performance Plus 3/4" -25m	9	2.645-322.0				-	
Performance Premium hose, 1/2"	10	2.645-324.0				-	
-20 m	10	2.0 10 32 1.0					
Hose connection systems							
Universal hose coupling Plus	11	2.645-193.0				Universal hose coupling plus with soft plastic recessed grips	, ,
						for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with	12	2.645-194.0				Universal hose coupling plus with Aqua Stop and soft plasti	
Aqua Stop						recessed grips for comfortable handling. Compatible with al	10
Hairman Harris Constant 19	40	2.545.402.6				click systems.	+
Universal Hose Connector with Agua Stop	13	2.645-192.0				Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	
Universal Hose Connector	14	2.645-191.0				Universal hose connector in ergonomic design for comforta	+
OTHER SALE FIOSE CONTRECTOR	14	2.043 131.0				ble handling.	

[■] Included in the scope of supply.

Available accessories.